## **OLYMPUS**

As a major sponsor of the 4th biennial Laryngology Society of Australasia conference, InterMed Medical are pleased to extend the following special offers.

CV-170 Compact HD Processor and LED



ENF-VH Videoscope 3.9mm



ENF-V3 Videoscope 2.6mm



**ENF-GP Fibrescope and EndoLED** 





## Specifications

CV-170		
	Voltage	100-240 V AC (NTSC)/220-240 V AC (PAL): within ±10%
Power Supply	Frequency	50/60 Hz: within ±1 Hz
	Rated Input	200 VA
Size Observation	Dimensions	295 x 145 x 425mm
	Weight	11 KG
	Examination lamp	LED lamp
	Analogue HDTV signal output	Either RGB or YPbPr output can be selected
	Analogue SDTV signal output	VBS composite, Y/C and RGB. Simultaneous outputs possible
	Digital signal output	HD-SDI, SD-SDI and DVI
ENF-VH	Field of view	110°
	Depth of field	5-50mm
	Distal end outer diameter	3.9mm
	Insertion tube outer diameter	3.6mm
	Working length	300mm
	Angulation range (up/down)	130°/130°
ENF-V3	Field of view	90°
	Depth of field	3.5-50mm
	Distal end outer diameter	2.6mm
	Insertion tube outer diameter	2.9mm
	Working length	300mm
	Angulation range (up/down)	130°/130°
ENF-GP	Field of view	85°
	Depth of field	5-50mm
	Outer diameter (distal tip)	3.4mm
	Outer diameter	3.6mm
	Working length	300mm

Orders must be placed by 31st December 2021 | Please contact your Sales Specialist or call Customer Service for more information.

Manufactured by



OLYMPUS AUSTRALIA PTY LTD **OLYMPUS NEW ZEALAND LIMITED** 

Distributed by

